


GRAND CANAL

GRAND CANAL

GRAND CANAL

SECTION A:
refer to drg ref. D1546-D4



DENOTES DISTANCE BETWEEN PROPOSED BUILDING AND EXISTING WATERMAIN AT DAVITT ROAD

DENOTES DISTANCE BETWEEN PROPOSED BUILDING AND EXISTING WATERMAIN AT DAVITT ROAD

LEGEND:

EXTENT OF SUBJECT'S PLANNING APPLICATION	---
EXISTING 1500mm FOUL SEWER	---
PROPOSED 225mm PVC SLUNG FOUL SEWER	---
PROPOSED 225mm PVC GROUND FOUL SEWER	---
PROPOSED 225mm PVC BASEMENT FOUL SEWER	---
EXISTING 450mm SW DRAINAGE	---
PROPOSED 300mm SW DISCHARGE PIPE	---
EXISTING 450mm WATER MAIN	---
PROPOSED LEVELS	▲ +25.45

PL2	14/12/18	ED	PK	ISSUED FOR PLANNING
Mark	Date	By	Chk	App
				Revision

PLANNING

RESIDENTIAL DEVELOPMENT AT DAVITT ROAD (FORMER DULUX SITE), DRIMNAGH, DUBLIN 12

BASEMENT PLAN:
PROPOSED DRAINAGE - FOUL SEWER

DURKAN DAVITT ROAD LTD

KAVANAGH BURKE
CONSULTING ENGINEERS

Tel. 01-450 0694 Unit G3, Calmount Pk.
Ballymount, Dublin 12.
Fax. 01-426 4340
Email: pkavanagh@kavanaghuburke.ie

Drn	ED	Checked	PK	Approved
Scale	1:250	Date	September 2018	

Job No.	D1546	Drawing No.	D2	Rev.	PL2
---------	-------	-------------	----	------	-----